

CHAPTER 6- ANNEX E - PERSONAL CLOTHING AND EQUIPMENT

This LAAASF SOP covers the Personal Clothing and Equipment program and will be adhered to. PCE will be located at the workstation or on the safety boards in the area where the work is being conducted. PCE dictated in the applicable TM and MSDS associated with the work being conducted or the hazard being used will be properly worn until maintenance is completed. Any hazards that are identified will also be forwarded to the ASO for entry on the Hazard Inventory Log.

6.E.1 - REFERENCES:

- AR 385-10
- AR 40-5
- AR 750-series
- DA Pam 385-3
- TB MED 501
- TB MED 502
- CTA Series

6.E.2 - PURPOSE:

To establish a comprehensive personal protective clothing and equipment program.

6.E.3 - APPLICABILITY:

For all personnel soldiers assigned or attached to the LAAASF.

6.E.4 - RESPONSIBILITIES:

6.4.1 - ASO -

Monitor the PPE program

6.4.2 - PCE NCO -

1. Evaluate work places, operating procedures and hazardous material data to determine work hazards and health risks.
2. Mark each hazardous area to inform personnel of major work hazards or health risks and PCE needed.
3. Monitor acquisition and maintenance of PCE.
4. Train personnel in the requirements for selection, use, inspection, and care of PCE. Training will be documented.

6.E.5 - PROCEDURES:

1. PCE Monitor will coordinate with Occupational Health Care Providers to determine work hazards and health risks. Personnel at risk will be provided base line screening at a medical facility and recurring examinations as required.
2. Periodically inspect work places to ensure that health risks are kept at the lowest possible level. Any problem areas identified will be immediately brought to the attention of the commander and the safety officer for corrective action and/or control measures.

3. Train personnel in the requirements for the proper use, selection and care of PCE IAW OSHA, NIOSH, and other national standard agency requirements.
4. Ensure visitors and transients comply with the PCE requirements of each work location.
5. PCE acquisition will be IAW appropriate directives and regulations.

6.5.1 - COMMON PCE LISTING:

ITEM	NSN
Goggles	
Splash proof, chemical resistant, covered vent, vinyl, clear	4240-00-190-6432
Impact/Foreign body protection, clear, vented (do not use with chemicals)	4240-00-052-3776
Safety Glasses	
Impact/foreign body protection, plastic frame with side shields	4240-00-516-4531 4240-00-516-4483
Face Shields	
Face and Neck protection, tilting	4240-00-542-2048 4240-00-202-9473
Aprons	
Rubber, acid/chemical resistant	8415-00-082-6108
Plastic, opaque, non-flammable, disposable	8415-00-222-8074
Toxicological agent protection, with sleeves	
Small	8415-00-281-7813
Medium	8415-00-281-7814
Large	8415-00-281-7815
Coveralls	
Tyvek, white, disposable, attached hood/boots (asbestos removal and fibrous glass handling)	
Small	8415-01-092-7529
Medium	8415-01-092-7530
Large	8415-01-092-7531
Extra Large	8415-01-092-7532
Disposable, white, water/flammable resistant (use for spray painting and cleaning)	
Extra Small	8415-00-601-0792
Small	8415-00-601-0793
Medium	8415-00-601-0794
Large	8415-00-601-0797
Extra Large	8415-00-601-0801
Oil/Fuel/Protective (toxicological)	
Small	8415-00-099-6962
Medium	8415-00-099-6968
Large	8415-00-099-6970
Gloves	
Acid/Alkali resistant, industrial chemical protective, rubber, 14 inches	
Size 9	8415-00-266-8679
Size 10	8415-00-266-8677
Size 11	8415-00-266-8675
Size 12	8415-00-266-8673
Fuel/Oil resistant, vinyl coated cloth	
Medium	8415-00-916-2817
Large	8415-00-916-2818

ITEM	NSN
Universal	8415-00-935-2833
Fuel/Oxidizer resistant (resin mod. Butyl)	8415-00-577-4091 -
Rubber, Chemical protective:	8415-00-753-6651 - 6654
Butyl Rubber, Chemical protective:	8415-00-753-6551 - 6554
Neoprene, Chemical protective:	8415-00-753-6551 - 6554
Chemical/Organic solvent protective, green nitrile rubber, disposable: Size 7 Size 8 Size 9 Size 10 Size 11	8415-01-147-6263 8415-01-147-9540 8415-01-012-9294 8415-01-013-7382 8415-01-013-7384
Organic solvent protective, black rubber:	8430-00-624-2151 -
Boot Covers	
Butyl rubber, Acid resistant (corrosive materials handling) Small Medium Large	8430-00-262-5295 8430-00-262-5296 8430-00-262-5297